



TAURUS MIG/MMA-500i WELDER WITH SEPARATE WIREFEEDER – 380V (AIR-COOLED)

Description

This Taurus MIG500I is a 380v, 500A MIG welding inverter machine. With its high-power IGBT and advanced inverter technology, it has good dynamic characteristics, stable arc, good welding quality and is easy to control. It's a high performance semi-automatic welding machine for CO₂ and mixed gas shielded welding. It can weld low carbon steel, low alloy steel, stainless steel, galvanized sheet, copper and other components, using 0.8-1.6mm diameter stainless steel welding wire, steel wire and other solid wire. The advanced power input system will detect and handle a voltage drop or a spike of up to 15%. This will not only safeguard the machine against damage resulting from erratic power supply, but will also ensure smooth, uninterrupted operation.

This Taurus MIG500I is widely used in industries such as electric power construction, shipbuilding, machinery manufacturing, building construction, fabrication and other industries. It has reasonable static characteristics and good dynamic performance and they are manufactured in accordance with IEC60974-1, Safety Requirements for Arc Welding Equipment.

ACCESSORIES

- Earth clamp cable kit.
- MIG torch.
- Argon flowmeter
- Trolley
- Interconnection cable

OPTIONAL EXTRAS

- Water cooling unit
- Water cooled MIG gun

SPECIFICATION

PRODUCT CODE

MODEL

POWER SUPPLY VOLTAGE

DUTY CYCLE 40°C @ 10 MINUTES

OPEN CIRCUIT VOLTAGE

WELDING RANGE

DESCRIPTION

TA-MIG500I

MIG-500I

380V±15% THREE PHASE

60% @ 500A

70V

60 TO 500A

WIRE DIAMETER

0.8 TO 1.6mm

PACKAGE DIMENSIONS(MM) AND NET WEIGHT(KG)

740 x 405 x 710mm ? 20KG (PSU)

565 x 275 x 392mm ? 37KG (FEEDER)

Product Category

1. Mig Welders
2. Taurus Machines

Date Created

29 Jul 2025