



TAURUS OXY-ACE HEATING TORCH

Description

TAURUS OXY-ACE HEATING TORCH

The Taurus oxy-ace heating torch consists of a neck tube, universal type 2 mixer and shank.

TAURUS NECK TUBE



TAURUS heating neck tube fits onto the TAURUS TYPE 2 MIXER and accommodate the AHT series of heavy-duty heating nozzles.

TAURUS TYPE 2 UNIVERSAL MIXER



The application of the TYPE 2 UNIVERSAL MIXER is for gas welding/brazing and for heating. It requires to be fitted to the Taurus UNIVERSAL SHANK and uses MK2 swaged brazing nozzles. Oxygen and acetylene or oxygen and LP gases are supported.

TAURUS TYPE 2 UNIVERSAL SHANK



The Taurus Type 2 universal shank can only be used in conjunction with either the TYPE 2 cutting attachment, the TYPE 2 mixer or the TYPE 2 high capacity mixer and the selection depends on the task at hand. It has a steel cutting capacity of up to 150mm thick and oxygen, acetylene and LP gases are supported. The inlet connections are 3/8" BSP.

TAURUS AHT-N HEATING NOZZLE



TAURUS AHT-N heating nozzles are designed for efficient, heavy-duty heating and its flames are ideal for metal-heating prior to welding or bending. The precision engineered and manufactured nozzles are designed to reduce the occurrence of flashbacks. Oxygen and Acetylene gas must be used.

Product Category

1. Gas Equipment
2. Torches

Date Created

09 Nov 2025