



## TAURUS PRO 7024 IRON POWDER ELECTRODES

### Description

TAURUS PRO 7024 is a rutile, coated-iron, high-recovery electrode which deposits metal of good metallurgical properties quickly and economically. Designed for downhand and fillet welding. TAURUS 7024 has a recovery of approximately 160%. The arc is smooth and consistent with very little spatter. Striking and restriking qualities are excellent.

### WELDING POSITIONS

- Flat
- Horizontal

### CLASSIFICATIONS

- AWS A5.1 E 7024
- ISO 2560 E 513 RR 160 32
- DIN 1913 E 51 32 RR 11 160

## AVAILABLE IN

- 3.2mm – 5kg pack
- 4.0mm – 5kg pack

## COMPOSITION

	%
Carbon	0.05 %
Manganese	0.80 %
Silicon	0.40 %

## MECHANICAL

Yield strength	>500 N/mm <sup>2</sup>
Tensile strength	510-610 N/mm <sup>2</sup>
Elongation (5xd)	>24 %
Impact strength ISO-V@ 0°C	60 Joule
Impact strength ISO-V@ -20°C	>60 Joule

## AS WELDED

## Product Category

1. Consumables

2. Electrodes
3. Mild Steel

**Date Created**

06 Aug 2025