

TAURUS PRO TIG TORCHES

Description

Taurus PRO TIG torches(60% duty cycle), consumables and spares are precision engineered and manufactured from high-quality materials offering the user superior, reliable products. The torch head is encased in high-temperature resistant silicone rubber and all copper components ensure cooler running temperatures and maximum current

capacity.

General guidelines to be used before purchasing a TIG torch:

- Ensure a torch is selected with sufficient amperage capacity and duty cycle for the specific application.
- Ensure the torch length is appropriate for the welding application.
- Establish that the torch back-end fittings will connect directly to the welding machine.
- Ensure that front-end consumables of the correct size are at hand.

AIR COOLED TIG TORCHES

PRODUCT CODE	DESCRIPTION	LENGTH	CONNECTOR TYPE	VALVE
WP9V.8M.2P	WP9	8M	25MM PLUG	VALVE
WP17V.4M.2P	WP17	4M	25MM PLUG	VALVE
WP17V.8M.2P	WP17	8M	25MM PLUG	VALVE
WP17SB.4M.2P	WP17	4M	25MM PLUG	SWITCH
WP17SB.8M.2P	WP17	8M	25MM PLUG	SWITCH
WP26V.4M.2P	WP26	4M	35MM PLUG	VALVE
WP26V.8M.2P	WP26	8M	35MM PLUG	VALVE
WP26SB.4M.1P	WP26	4M	ONE-PIECE	SWITCH
WP26SB.4M.2P	WP26	4M	35MM PLUG	SWITCH
WP26SB.8M.1P	WP26	8M	ONE-PIECE	SWITCH
WP26SB.8M.2P	WP26	8M	35MM PLUG	SWITCH

WATER COOLED TORCHES

PRODUCT CODE	DESCRIPTION	LENGTH	CONNECTOR TYPE	VALVE
WP18SB.4M.EURO	WP18	4M	EURO	SWITCH
WP18SB.8M.EURO	WP18	8M	EURO	SWITCH
WP18SB.4M.USA	WP18	4M	USA	SWITCH
WP18SB.8M.USA	WP18	8M	USA	SWITCH

Product Category

1. Tig & Accessories
2. Tig Torches

Date Created
24 Nov 2025