

TAURUS PRO XP450A WATERCOOLED MIG TORCH

Description

The Taurus XP MIG torch is designed and manufactured for professional use. Serving performance, comfortable handling, and a long service life, and is manufactured from high-quality materials. The torch has a high duty cycle of 80% and its patented gas-flow technology ensures a cooler neck and tip, which, in turn, saves up to 70% on consumables and a reduction of welder’s downtime by up to 50%.

General checklist to assist with the selection of a MIG torch:

- Ensure the torch length is appropriate for the welding operation.
- Confirm that the torch connection will fit directly onto the machine.
- Use the correct-sized tip and liner for the welding wire size.
- The appropriate liner should be used for the filler wire material type.
- Ensure that the correct torch amperage for the application is available.

- Confirm that the duty cycle of the MIG torch selected is suitable for the application.

The Taurus XP450A Water-cooled MIG torch comes with the following;

- 1 x 450A (XP8) MIG Torch
- 1 x Conical Nozzle/Shroud
- 1 x Gas Diffuser
- 1 x 1.2mm M10 Contact Tip
- 1 x M10 Tip Adaptor/Head Assembly
- 1 x Yellow Steel Liner

XP450A MIG TORCH REPLACEMENT CONSUMABLES

XP-M10 CONTACT TIPS



- 0.9mm [XP3003-09]
- 1.0mm [XP3003-10]
- 1.2mm [XP3003-12]
- 1.4mm [XP3003-14]
- 1.6mm [XP3003-16]

M10 HEAD ASSEMBLY



- M10 [XP3505]

M10 GAS DIFFUSER



- Plastic [XP3004B]
- Ceramic [XP3004C]

M10 HEAT SHIELD



- Aluminium [XP3506A]
- Moulded [XP3506B]

NOZZLE



- 16mm Conical [XP3002-16]
- 16mm Long [XP3002-16L]
- 13mm Tapered [XP3002-13]

XP STEEL LINERS



- Red (1.0mm – 1.2mm) : 4m [XP3524-12.40]
- Red (1.0mm – 1.2mm) : 5m [XP3524-12.50]
- Yellow (1.0mm – 1.2mm) : 4m [XP3524-16.40]
- Yellow (1.0mm – 1.2mm) : 5m [XP3524-16.50]

Click here to see the full list of liners

Product Category

1. Mig Torches
2. Mig Torches and Accessories
3. XP Torches

Date Created
28 Oct 2025